

英 文 索 引

- A**
- abatement of sealingdevice 6.4.1.4
 - ageing and damage of irrigation
 - structure 7.4.1.1
 - ageing control 3.4.4.3
 - ageing mechanism of irrigation
 - structure 7.4.1.2
 - annual maintenance 3.4.1.2
 - annual regulation 5.5.2.5
 - anti-seepage blanket 5.2.4.6
 - anti-seepage sheet pile 5.2.4.5
 - apron stone 4.2.2.7
 - apron stone probing 4.3.2.4
 - assurance probability of irrigation ... 7.5.1.11
 - automatic acquisition and transmission
 - system of flood data 3.6.5.3
 - automatic control of hydro-generator
 - unit 5.5.7.3
 - automatic control of hydropower
 - station 5.5.6.6
 - automatic monitoring system for dam
 - safety 5.3.1.2
 - automatic pumping station 7.2.2.5
 - automatic system of hydrological data
 - acquisition and transmission 3.3.5.1
 - automation of irrigation system 7.2.1.3
 - automation of pumping station 7.5.2.5
 - automation system for flood control
 - operation 3.5.2.2
 - automation system for water conservancy
 - management 3.1.1.7
 - auxiliary dam 5.2.1.4
 - auxiliary power house 5.2.2.3
- B**
- back berm 4.2.3.3
 - bank protection works 4.2.2.3
 - banket 4.2.2.6
 - barrage 6.1.1.2
 - basic characteristic curve of pump ... 7.5.2.14
 - beach protection works 4.2.2.4
 - beneficial reservoir capacity 5.5.5.4
 - benefit of water project 3.1.4.1
 - berm 4.2.3.1
 - biologic protection engineering 4.2.2.9
 - boundary peg 3.1.6.2
 - boundary ridge 4.2.1.5
 - breast wall 6.1.1.16
 - breast wall sluice 6.1.1.15
 - bulkhead gate 6.2.1.3
- C**
- canal 7.2.3.1
 - canal conveyance losses 7.5.3.6
 - canal design discharge 7.5.3.1
 - canal dredging 7.4.2.6
 - canal flood 7.6.3
 - canal flood control 7.6.2
 - canal management 7.1.2.4
 - canal maximum discharge 7.5.3.2
 - canal minimum discharge 7.5.3.3
 - canal sedimentation 7.4.2.5
 - canal seepage 7.4.2.2
 - canal seepage control 7.4.2.3
 - canal seepage treatment 7.4.2.4
 - canal slide 7.6.1
 - canal structure 7.2.3.4
 - canal structure management 7.1.2.5
 - canal water efficiency 7.5.5.2
 - canal working regime 7.5.3.7
 - cascade hydropower station 5.1.4.10
 - casual inspection 3.3.3.4
 - cavitation characteristic curve of
 - pump 7.5.2.15
 - cavitation erosion; cavitation
 - corrosion 3.4.3.2
 - cement grouting 3.4.5.4
 - central control room 5.2.2.4

channel erosion of reservoir		crack control	3.4.4.5
downstream	5.5.1.7	crack filling	6.4.1.2
characteristic capacity of reservoir	5.5.5.1	crack treatment	3.4.4.4
characteristic head	5.5.6.8	crack treatment of concrete	
characteristic water level of reservoir	5.5.4.1	structure	5.4.1.3
chasm	4.6.3.4	crescent dike	4.6.3.6
check on water project management	3.1.2.3	critical defence	4.6.2.2
chemical grouting	3.4.5.2	critical section	4.6.2.1
chute	7.2.3.13	critical spot	4.6.2.3
clay grouting	3.4.5.3	crossing structure	7.2.3.9
closure of breach	4.6.5.2	culvert sluice	6.1.1.14
coat	6.4.2.2	current observation	6.3.2.2
cofferdam behind sluice	6.6.2.4	current retard and scour prevention	6.6.2.1
cofferdam in front of sluice	6.6.2.5	current - meter gauging	7.3.2.4
combined characteristic curve of		D	
hydro - turbine	5.5.7.9	daily regulation	5.5.2.7
combined irrigation by storage; diversion		dam	5.2.1.1
and pumping	7.1.1.8	dam failure	5.6.1.3
compensative regulation	5.5.2.1	dam monolith	5.2.1.2
complete characteristic curve of		dam operating management	5.1.3.3
pump	7.5.2.19	dam safety appraisal	5.1.3.2
composite geomembrane	4.6.3.11	dam safety management	5.1.3.1
comprehensive characteristic curve of		dam safety monitoring	5.3.1.1
pump	7.5.2.18	damage control of release structure	5.4.1.7
comprehensive irrigation quota	7.5.4.4	dam - break flood; dam - breach	
comprehensive quota of irrigation		flood	3.6.4.6
water	7.5.4.6	dam - slop slide	5.6.1.1
computer monitoring system	7.2.1.9	dam - type hydropower station	5.1.4.2
concrete ageing	3.4.3.3	dead reservoir capacity; dead storage	
concrete carbonization	3.4.3.4	capacity	5.5.5.3
concrete dam	5.2.1.5	dead water level	5.5.4.2
concrete seepage	3.4.3.5	debris flow	3.6.4.8
concrete structure detection	6.3.1.1	defective reservoir	5.1.2.6
concrete structure rupture	3.4.3.1	defective sluice	6.1.3.1
conduit	7.2.3.14	deformation observation	3.3.2.2
conduit type hydropower station	5.1.4.5	density current observation	5.3.2.4
cone probing	4.3.2.3	density current; density flow	5.3.2.3
constructing submerged dam with		design flood level	5.5.4.6
riprap	6.6.2.3	design head	5.5.6.12
continuous irrigation	7.5.3.8	detention basin	4.5.3.2
corrosion prevention of concrete		detention scheme	4.5.3.3
gate	6.4.3.1	diagnosis and assessment for aged irrigation	
corrosion prevention of steel gate	6.4.2.1	structure	7.4.1.3

differential settlement; uneven settlement	6.6.1.3	station	5.1.4.11
discharge measurement; stream gauging	7.3.2.2	equipment overhaul of hydropower station	5.4.2.1
displacement of damaged gate	6.4.1.3	equipment repair of hydropower station	5.4.2.3
distributor	5.2.3.5	escape canal	7.2.3.8
diversion irrigation	7.1.1.7	exit sluice	6.1.1.11
diversion sluice	6.1.1.7	exterior drainage pumping station	7.2.2.7
draft tube	5.2.3.6	F	
drainage	7.1.4.3	farmland drainage system	7.2.5.3
drainage sluice	6.1.1.12	farmland works; field engineering	7.2.1.7
drainage system for waterlogging control	7.2.5.1	fascine - stone works	4.6.3.5
drainage - to - irrigation volume ratio	7.1.4.2	fill grouting	4.4.3.5
drip irrigation system	7.2.1.11	film	6.4.2.3
drip irrigation; trickle irrigation	7.1.3.6	film ageing	6.4.2.4
drop	7.2.3.12	film protection allied with sacrificial anode	6.4.2.6
drop structure	7.2.3.11	filter blanket	4.6.4.6
dynamic regulation	7.5.1.10	filter earth stay	4.6.4.7
E		filter layer	4.6.4.5
earth - rock dam	5.2.1.7	flash flood	3.6.4.7
economic benefit	3.1.4.2	float gauging	7.3.2.6
efficiency of pumping station	7.5.2.4	flood	3.6.4.1
electric detection of hidden trouble	4.3.2.2	flood control	3.6.1.1
electromagnetic gauging	7.3.2.5	flood control by reservoir operation	5.6.2.1
electromechanical equipment maintenance	6.4.1.5	flood control capacity	5.5.5.5
embankment protection works	4.2.2.1	flood control capacity of reservoir	5.6.2.2
emergency flood fighting	3.6.3.5	flood control measures	3.6.2.1
emergency gate	6.2.1.4	flood control operation	3.5.2.1
emergency response	3.6.3.8	flood control operation for reservoir safety	5.5.3.8
emergency scheme of flood defense	3.6.3.7	flood control operation of reservoir	5.5.3.3
emergency spillway	5.2.4.2	flood control planning	3.6.1.6
energy consumption rate of pumping station	7.5.2.3	flood control standard	3.6.1.4
engineering inspection	3.3.3.1	flood defense	3.6.3.2
environment benefit	3.1.4.4	flood detention	4.5.3.1
equilibrium slope of reservoir sedimentation	5.5.1.11	flood disaster	3.6.1.2
equipment maintenance of hydropower station	5.4.2.4	flood diversion	4.5.1.2
equipment management of hydropower station	5.4.2.4	flood diversion area	4.5.1.3
		flood diversion sluice	6.1.1.3
		flood diversion stage	4.5.1.4
		flood forecasting	3.6.5.1
		flood forecasting model	3.6.5.2

flood peak	3. 6. 4. 2
flood regulating capacity	5. 5. 5. 6
flood retarding and sediment	
discharge	5. 5. 1. 4
flood retarding operation	4. 5. 3. 4
flood risk map	3. 6. 5. 5
flood risk map of flood storage and	
detention basin	4. 5. 4. 2
flood risk map of reservoir	5. 6. 2. 3
flood season	3. 6. 3. 1
flood sluice	6. 1. 1. 10
flood storage	4. 5. 2. 1
flood storage and detention basin	4. 5. 4. 1
flood storage and reclamation	4. 5. 2. 3
flood storage basin	4. 5. 2. 2
flood warning	3. 6. 5. 4
flood way district	4. 5. 1. 1
flood - protected area	3. 6. 1. 3
flow and sediment regulation	3. 5. 1. 2
flow measurement weir	7. 3. 2. 8
fluctuating backwater zone of	
reservoir	5. 5. 4. 8
flume	7. 2. 3. 10
forest defect rate	4. 4. 1. 2
frequency curve of irrigation water ...	7. 5. 1. 4
frequent inspection	3. 3. 3. 5
front berm	4. 2. 3. 2
frost damage control	3. 4. 4. 6
frost damage control of canal	
lining	7. 4. 2. 1

G

gabion	4. 6. 3. 13
gate	6. 2. 1. 1
gate detection	6. 3. 1. 3
gate hoist	6. 2. 2. 1
gate operation automation	6. 5. 2. 6
gate operation failure	6. 6. 1. 5
gate overtopping	6. 6. 1. 1
gate remote - operation	6. 5. 2. 5
gate site - operation	6. 5. 2. 4
geomembrane	4. 6. 3. 10
geotextile	4. 6. 3. 9
geotextile package	4. 6. 3. 12

grade of hydraulic structure	3. 2. 2. 8
grade of water resources and hydroelectric	
project	3. 2. 1. 3
grading lift	6. 5. 2. 3
grooving and soil replacement	4. 4. 2. 3
gross discharge	7. 5. 3. 4
gross head	5. 5. 6. 9
gross irrigation quota	7. 5. 4. 2
groundwater level	3. 3. 4. 2
grouting	3. 4. 5. 1
guniting repair	3. 4. 4. 8

H

harmful animal control	4. 4. 3. 4
hazard of reservoir cold water	5. 5. 1. 6
head complex	7. 2. 1. 12
headwork	7. 2. 1. 5
hidden trouble detection	3. 3. 1. 4
high efficiency area of pump -	
operation	7. 5. 2. 8
high pressure gate	6. 2. 1. 8
highest safety stage	4. 6. 1. 1
histogram of irrigation water	
consumption	7. 5. 1. 2
hoist safety inspection	6. 3. 1. 2
horizontal displacement observation	3. 3. 2. 4
hydraulic engineering; water	
project	3. 2. 1. 1
hydraulic engineering observation	3. 3. 2. 1
hydraulic hoist	6. 2. 2. 4
hydraulic jump	6. 3. 2. 3
hydraulic monitoring system	5. 2. 3. 8
hydraulic structure	3. 2. 2. 1
hydraulic structure maintenance	3. 4. 4. 1
hydro project; hydro complex	3. 2. 1. 2
hydrofracture grouting	4. 4. 2. 4
hydro - generator	5. 2. 3. 3
hydro - generator efficiency	5. 5. 7. 4
hydro - generator set	5. 2. 3. 1
hydrology	3. 1. 1. 4
hydrometry	3. 3. 5. 4
hydropower house	5. 2. 2. 1
hydropower station	5. 1. 4. 1
hydropower station at dam - toe	5. 1. 4. 3

hydropower station in river channel	5.1.4.4		
hydro – turbine	5.2.3.4		
hydro – turbine discharge	5.5.7.8		
hydro – turbine efficiency	5.5.7.12		
hydro – turbine operating curve	5.5.7.10		
hydro – turbine output	5.5.7.5		
hydro – turbine performance curve	5.5.7.11		
I			
ice flood	3.6.4.5		
ice flood control	3.6.3.3		
inspection of flood defense	3.6.3.4		
inspection well	7.2.5.5		
installed capacity of hydropower			
station	5.5.6.5		
intake sluice	6.1.1.5		
intake structure	3.2.2.3		
internal drainage pumping station	7.2.2.6		
inverted siphon	7.2.4.4		
irrigation	7.1.1.1		
irrigation area	7.1.2.2		
irrigation area management	7.1.2.3		
irrigation benefit	7.1.1.2		
irrigation canal	7.2.3.5		
irrigation canal system	7.2.3.6		
irrigation forecast	7.5.1.7		
irrigation management	7.1.2.1		
irrigation modulus	7.5.1.6		
irrigation pipe system	7.2.4.2		
irrigation pipeline	7.2.4.1		
irrigation project observation	7.3.1.1		
irrigation quota	7.5.4.1		
irrigation quota on each application	7.5.4.5		
irrigation scheduling	7.1.1.3		
irrigation system	7.2.1.1		
irrigation technology	7.1.3.1		
irrigation water consumption	7.5.1.3		
irrigation water distribution	7.5.1.5		
irrigation water efficiency	7.5.5.1		
irrigation water management	7.5.1.1		
irrigation water measurement	7.3.2.1		
J			
joint operation of flood control			
projects	3.5.2.3		
		K	
		karez; kariz; kanat	7.2.3.15
		L	
		land affirmation and demarcation	3.1.6.1
		land side	4.2.1.3
		landslide surge	5.6.1.2
		levee break; levee breach	4.6.5.1
		levee grade	4.2.1.1
		levee hidden trouble	4.4.3.1
		levee hidden trouble treatment	4.4.3.2
		levee project	4.1.1.2
		levee project inspection	4.3.2.1
		levee project management	4.1.1.3
		levee project observation	4.3.1.1
		levee protection land	4.2.1.4
		levee seepage control	4.4.2.1
		levee sliding observation	4.3.1.4
		levee vertical displacement observation	4.3.1.3
		levee; dike	4.1.1.1
		license of river sand mining	4.1.2.2
		limited water level during flood season	5.5.4.3
		loading for slide prevention	6.6.2.6
		longitudinal profile of reservoir	
		sedimentation	5.5.1.13
		loophole	4.6.3.1
		low flow regulation	5.5.2.4
		low – pressure irrigation pipe	7.2.4.3
		M	
		main dam	5.2.1.3
		main gate; service gate; operating	
		gate	6.2.1.2
		maintenance	3.4.1.1
		maintenance and repair of masonry	
		dam	5.4.1.1
		maintenance contract	3.4.1.4
		maintenance contract management	3.4.1.5
		maintenance for irrigation structure	7.4.1.4
		maintenance plan	3.4.1.3
		major flood	3.6.4.3
		major repair	3.4.2.1
		management area of levee project	4.1.1.4
		management area of reservoir	
		project	5.1.2.2

management of drainage system 7.1.4.4
 management of river sand mining 4.1.2.1
 management unit of operating water
 project 3.1.3.4
 management unit of pure – commonweal
 water project 3.1.3.2
 management unit of quasi – commonweal
 water project 3.1.3.3
 masonry dam 5.2.1.6
 maximum flood level 5.5.4.7
 maximum head 5.5.6.13
 measurement of operating parameters of
 pumping station 7.5.2.2
 measurement of pore water pressure 5.3.3.3
 measuring flume 7.3.2.9
 measuring structure 7.3.2.7
 mechanical and electrical equipment of
 hydropower station 5.4.2.2
 metal structure anticorrosion 3.4.4.7
 micro irrigation 7.1.3.5
 micro – spray irrigation 7.1.3.7
 minimum head 5.5.6.14
 mist irrigation 7.1.3.8
 movable hoist 6.2.2.5
 multi – purpose pumping station 7.2.2.2
 multi – purpose reservoir 5.1.1.3
 multi – stage pumping station 7.2.2.3

N

natural flood – retarding of reservoir 5.5.1.5
 net discharge 7.5.3.5
 net head 5.5.6.10
 net irrigation quota 7.5.4.3
 no – load 5.5.7.2
 non – self – regulating canal 5.2.4.4
 nonstructural measures for flood
 control 3.6.2.3
 normal storage level 5.5.4.4

O

objective management on water
 project 3.1.2.2
 observation of earth crust deformation 5.3.3.1
 observation of high velocity flow 5.3.3.2
 oncomelania prevention work 4.2.4.3

open canal 7.2.3.2
 open drainage system 7.2.5.2
 open sluice 6.1.1.13
 operating head of hydro – turbine 5.5.7.7
 operating standard of flood control 3.6.1.5
 operation and management of pumping
 station 7.5.2.1
 operation instruction 6.5.1.2
 operation of waterlogging drainage
 system 7.5.6.3
 optimal regulation of pump station
 group 7.5.2.6
 optimization technique for irrigation
 system 7.2.1.2
 overlap reservoir capacity 5.5.5.7

P

parallel reservoir group 5.5.3.10
 permanent boundary peg 5.2.4.7
 permanent structure 3.2.2.6
 phreatic line 4.3.1.7
 phreatic line observation 4.3.1.8
 piezometer 6.3.2.4
 piling from chamber floor for slide
 blocking 6.6.2.8
 pipe drain clogging 7.4.1.5
 pipe drainage 7.1.4.5
 pipe drainage system 7.2.5.4
 piping 4.6.3.2
 plain gate 6.2.1.6
 pluriennial regulation 5.5.2.2
 polder; embankment; surrounded
 region 4.2.1.6
 portal hoist; gantry crane 6.2.2.6
 power dispatching of hydropower
 station 5.5.6.2
 power house 5.2.2.2
 power output of hydropower
 station 5.5.6.1
 precipitation station 3.3.5.2
 pressure berm 4.2.3.4
 program of flood control operation 3.5.2.4
 programmed irrigation 7.5.1.9
 protecting foundation with riprap 6.6.2.2

protection area of levee project	4.1.1.5	reservoir	5.1.1.1
protection area of reservoir project ...	5.1.2.3	reservoir benefit operation	5.5.3.6
pump characteristic curve	7.5.2.13	reservoir operation of hydropower	
pump operating condition	7.5.2.7	station	5.5.6.3
pump operating point	7.5.2.10	reservoir forecast - based operation ...	5.5.3.7
pump performance parameter	7.5.2.12	reservoir group operation	5.5.3.9
pumped - storage power station	5.1.4.8	reservoir inundation line survey	5.1.2.4
pumped - storage unit; pumped - storage		reservoir inundation observation	5.3.2.1
aggregate	5.2.3.2	reservoir inundation zone	5.5.1.8
pumping drainage and irrigation	7.1.4.1	reservoir management	5.1.2.1
pumping irrigation	7.1.1.5	reservoir operation	5.5.3.1
pumping station	7.2.2.1	reservoir operation chart	5.5.3.2
pumping station for irrigation and		reservoir operation index	5.5.1.1
drainage	7.2.2.4	reservoir real - time operation	5.5.3.4
pumping station observation	7.3.1.2	reservoir registry	5.1.2.5
pumping system	7.2.2.8	reservoir relegation	5.1.2.8
pumping unit	7.2.2.9	reservoir scrap	5.1.2.9
Q		reservoir sedimentation limit	5.5.1.10
quotative discharge of hydropower		responsibility system of flood	
station	5.5.6.4	defense	3.6.3.6
R		reverse regulation; reregulation	5.5.2.3
radial gate; tainter gate	6.2.1.7	river control works	4.2.2.2
rain erosion gully	4.4.1.1	river regime	4.3.1.5
rated discharge of hydro - turbine	5.5.7.6	river regime observation	4.3.1.6
rated head	5.5.6.11	river regulation	3.6.2.4
record of engineering inspection	3.3.3.2	river side	4.2.1.2
regular inspection	3.3.3.3	rotational irrigation	7.5.3.9
regulating gate	6.1.1.6	runoff	3.1.1.5
regulation of pump operating		run - of - river hydropower station ...	5.1.4.6
point	7.5.2.11	rush repair	3.4.2.2
regulation period	5.5.2.8	S	
regulation storage coefficient	5.5.5.8	sacked concrete revetment	4.2.2.8
regulation year	5.5.2.9	sacrificial anode; galvanic anode	6.4.2.5
rehabilitation	3.4.2.3	safety appraisal	3.3.1.2
rehabilitation of defective reservoir ...	5.1.2.7	safety assessment	3.3.1.3
rehabilitation of defective sluice	6.1.3.2	safety monitoring	3.3.1.1
relative characteristic curve of		scheme of flood operation	3.6.1.9
pump	7.5.2.16	scheme of flood prevention	3.6.1.8
release sluice	6.1.1.8	scouring sluice	6.1.1.9
release structure	3.2.2.5	screw hoist	6.2.2.2
repair of concrete gate	6.4.3.2	sediment carrying capability of	
reserved rock	4.2.4.2	canal flow	7.5.3.10
reserved soil	4.2.4.1	sediment observation	5.3.2.2

sediment release by emptying			
reservoir	5.5.1.2	soil flow	4.6.3.3
sediment release by reservoir density		special inspection	3.3.3.6
current	5.5.1.9	spillway	5.2.4.1
sedimentation survey	3.3.5.6	spiral case	5.2.3.7
seepage	4.6.4.1	sprinkler irrigation	7.1.3.3
seepage control of levee foundation	4.4.2.2	sprinkler irrigation system	7.2.1.10
seepage diversion ditch	4.6.4.3	stacking for slide prevention	6.6.2.7
seepage diversion in land side	4.6.4.2	staff gauge	3.3.4.6
seepage diversion well	4.6.4.4	stage gauging station	3.3.4.4
seepage interception in river side	6.6.2.9	stage measurement	3.3.4.3
seepage interception on upstream		stoplog gate	6.2.1.5
blanket	6.6.2.10	storing clear water and releasing	
seepage observation	3.3.2.5	muddy flow	5.5.1.3
seepage treatment of concrete		storm flood	3.6.4.4
structure	5.4.1.4	structural measures for flood	
seepage treatment of dam		control	3.6.2.2
foundation	5.4.1.5	subirrigation	7.1.3.4
self-regulating canal	5.2.4.3	support system of flood control	
semi-automatic farmland irrigation		decision	3.6.1.7
system	7.2.1.8	surface damage of concrete	
separation of management and		structure	6.4.1.1
maintenance	3.1.2.4	surface daubing	3.4.4.9
series reservoir group	5.5.3.11	surface drainage; waterlogging	
series-parallel reservoir group	5.5.3.12	control	7.5.6.1
silting basin; sedimentation basin	7.2.1.13	surface irrigation	7.1.3.2
single-purpose reservoir	5.1.1.2	surface treatment of concrete	
slope collapse observation	4.3.1.2	structure	5.4.1.2
slotting and embedding	3.4.4.10	surface water irrigation	7.1.1.4
sluice	6.1.1.1	symmetric operation	6.5.2.1
sluice backward inclination	6.6.1.4	synchronous operation	6.5.2.2
sluice foundation subsidence	6.6.1.2		
sluice management	6.1.2.1	T	
sluice observation	6.3.2.1	temporary boundary peg	5.2.4.8
sluice operation	6.5.1.1	temporary structure	3.2.2.7
sluice operation index	6.5.2.2	termite control	4.4.3.3
sluice protection during ice period	6.4.1.6	tidal barrage; tide gate	6.1.1.4
sluice registry	6.1.2.3	tidal power station	5.1.4.9
sluice safety appraisal	6.1.2.2	toe reinforcement and sliding	
snowmelt flood	3.6.4.9	prevention	4.6.3.7
social benefit	3.1.4.3	total reservoir capacity	5.5.5.2
soft curtain	4.6.3.14	trans-levee structure	4.2.3.6
soil core	4.2.2.5	trash-removal device	5.2.4.9
		treatment for seepage through	
		aboutment	5.4.1.6

treatment of concrete carbonization	3.4.4.2	water flow observation of hydraulic	
turbine maximum discharge	5.5.7.1	structure	5.3.3.4
typhoon storm surge	3.6.4.10	water hammer	5.5.7.13
U		water head of hydropower station	5.5.6.7
ultrasonic gauging	7.3.2.3	water intake for irrigation	7.2.1.4
underground canal	7.2.3.3	water level; stage	3.3.4.1
underground hydropower station	5.1.4.7	water level recorder	3.3.4.5
universal characteristic curve of		water park	3.1.5.2
pump	7.5.2.17	water pollution	3.1.5.4
unstable area of pump operating		water project management	3.1.2.1
condition	7.5.2.9	water project management unit	3.1.3.1
upper water level for flood control	5.5.4.5	water quality	3.1.5.3
upward extension of reservoir		water quality monitoring	3.3.5.3
sedimentation	5.5.1.12	water release structure	7.2.3.7
V		water resources	3.1.1.2
vertical displacement observation;		water resources allocation	3.1.1.3
settlement observation	3.3.2.3	water resources operation	3.5.1.1
W		water retaining structure	3.2.2.2
warning stage	4.6.1.2	water saving irrigation	7.1.1.9
washout works	3.4.2.4	water storage irrigation	7.1.1.6
water and sediment operation of		water-conveyance structure	3.2.2.4
reservoir	5.5.3.5	water-drawing permit system	3.1.1.9
water conservancy	3.1.1.1	waterfront terrace	4.2.3.5
water conservancy management	3.1.1.6	waterlogging control planning	7.5.6.2
water consumption regulation	7.5.1.8	water-stop repair	3.4.4.11
water dispute	3.1.1.8	wave prevention with willow	
water distribution work	7.2.1.6	branches	4.6.3.8
water efficiency in field	7.5.5.4	weekly regulation	5.5.2.6
water efficiency of canal system	7.5.5.3	weighted average head	5.5.6.15
water environment	3.1.5.1	winch hoist	6.2.2.3